R-Loc™

Commercial Roof and Wall Panel




Strong and **durable**, for today's commercial market

Commonly referred to as PBR-panel, this 26-gauge commercial panel is an outstanding choice for any project that requires commercial-grade performance. R-Loc is designed to maximize the potential of your structure, specifically the steel frame.

With the added purlin bearing leg, R-Loc provides easier installation and a more pleasing appearance.

- Industry standard configuration allows maximum purlin spacing for a cost-effective building.
- Ideal for low-pitch commercial roofs.
- Matching trims and accessories are available.



10274 W 600 South Mentone, IN 46539 574-353-7701 Fax: 574-353-7183



NIFFTONE.COM

Choose CentralGuard® for the best protection and a lifetime warranty.

CentralGuard is our specific combination of everything that goes into making the highest-quality metal panels. Available on our Prime panels, the CentralGuard name is a guarantee that you have the best protection and a lifetime paint warranty.

Choose CentralGuard for the perfect balance of fade protection, rust blocking, and dent resistance.

		OUR BEST SELLER!
FADE PROTECTION	THRIFTY	PRIME CentralGuard
Paint Warranty	20-YEAR	LIFETIME
Paint Thickness	THIN .70 mil	THICK 1.0 mil
Fade Warranty	-	30-YEAR
Fade Protection	✓	√ √
RUST BLOCKING		
Advanced Rust Blocking	-	✓
Perforation Warranty	-	20-YEAR
Substrate Thickness	1.12 mil	1.60 mil
DENT RESISTANCE		
Advanced Dent Resistance	-	44
Steel Thickness	THIN	THICK
Steel Gauge	26 ga.	26 ga.
INSTALLATION		
Purlin Bearing Leg	-	✓
Steel Thickness Steel Gauge INSTALLATION		THICK



Find more information at **NIFFTONE.COM**

MINIMUM SPECIFICATIONS

FOR PRIME PAINTED PANELS

GAUGE

26 ga. | 24 ga.*

STEEL THICKNESS

26 ga. 0.0185" | 24 ga. 0.023"

PAINT THICKNESS

Top coat paint: .70 mil Top coat primer: .30 mil Bottom coat backer: .35 mil Bottom coat primer: .35 mil

TOTAL THICKNESS

26 ga. 0.0202" | 24 ga. 0.0247"

RUST PROTECTANT SUBSTRATE

Galvalume® AZ50

STEEL STRENGTH

80,000 PSI (26 ga.) | 50,000 PSI (24 ga.)

PAINT SYSTEM

SMP

WARRANTY

Lifetime limited paint adhesion 30-yr. chalk and fade 20-yr. Galvalume perforation

TESTING & APPROVALS

TESTING

AISI S907

ASTM-E455 Diaphragm Shear Standard Test, 26 ga.

ASTM-E1592 Structural Test for Roof Systems Over Open Purlin, 26 ga.

ASTM-E1592 Structural Test for Roof Systems Over Solid Decking, 26 ga.

ASTM-E1646 Water Leakage Test of Exterior

Diaphragm Shear Cantilever Test, 26 ga.

FM4471 Foot Traffic

Resistance Test, 26 ga.

Metal Roof Panel, 26 ga.

APPROVALS

FL14026

bare in select plants

UL2218	UL Approval,
	Impact Resistance, Class 4
UL580	UL Approval,
	Uplift Resistance, Class 90
UL790	UL Approval,
	Fire Resistance, Class A
RC-424	Texas Windstorm Approval,
	26 ga. min. Over Steel Purlins
RC-576	Texas Windstorm Approval,
	26 ga. min. Over Plywood Deck,
	OSB Deck, or Wood Purlins
FL14024	Florida Approval, Wall Panel
	26 ga. min. Over Steel Purlins
	(NON-HVHZ)
FL14016	Florida Approval, Roof Panel
	26 ga. min. Over Steel Purlins
	(NON-HVH7)

(NON-HVHZ)

* 24 ga. available in Polar and Galvalume, acrylic-coated

Florida Approval, Roof Panel

26 ga. min. Over 15/32" Plywood