

THE PERFECT ADDITION

## ROOF CUPOLAS




CURVED • STRAIGHT • LOUVERED • LITED

**CUPOLAS & VENTS** 

### **EASY ASSEMBLY**

#### **Roof CUPOLAS Features**

The PLYCO Roof Cupolas provide options for Curved Roof, Straight Roof, Louvered Sides, Lited Sides, Premium Mounting Curb Bases and more so you will always get the perfect look for any applications. The cupolas arrive knocked down for economical shipping and are easy to assemble and install.



- 24" and 36" cupolas are constructed of 29 gauge prepainted steel.
- 48" cupola is constructed with 26 gauge prepainted steel.
- Prepainted galvalume steel construction with color combinations that match many roll-formed steel colors.
   Please specify roll-former when ordering color.
- Assembles on job site in minutes with slide on, interlocking metal connectors for straight or curved roof wall sections.
- Available in louvered or patented lited sides with steel corner gussets for enhanced structural integriy.
- Plyco cupolas are designed for both decorative and ventilation use. Vented applications are not considered waterproof.

#### Popular Colors for Roof, Louvered Sides, Corners and the Base:



Other colors available, ask representative for details.



### **ROOF CUPOLAS**

#### For All Applications

Agriculture

Equestrian

Garages & Shops

Commercial

Residential






### COMPLETE ASSEMBLED BASE UNIT with PBT

This option is made from Heavy 20 ga G-90 Galvanized Steel



#### **NO RUST**

Stable metal connections for non-rusting, permanent construction.



#### **BIRD SCREEN**

A screen is included to mount on the curb, keeping out the birds

#### **KEY FEATURES**

- · Optional Curb Cap for non-vented use.
- · Galvanized steel internal gussets for diagonal strength
- Patented, updated lited side design features Plyco manufactured, acrylic glazed white aluminum windows installed in each side for lited option, with or without grids.
- · Packaged knocked down for economical shipping
- Convenient 1-piece packaging for 24" and 36" cupolas, 2-piece for 48" for easier handling and job-site use

## ROOF CUPOLAS & OPTIONS

#### **WEATHERVANES**

Attach to cupola roof cap. 29" Height for Models #240 and #360 42" Height for Model #480 Various designs available.

# SHEN

#### STANDARD SIZES

|                     | Model 240 | Model 360 | Model 480 |
|---------------------|-----------|-----------|-----------|
| Base                | 24" x 24" | 36" x 36" | 48" x 48" |
| Side Height         | 16"       | 21"       | 28"       |
| Roof Height         | 15"       | 21"       | 28"       |
| Overall Height      | 31"       | 42"       | 56"       |
| Free Area (Sq. In.) | 250       | 560       | 990       |
| Roof Overhang       | 2"        | 3"        | 3"        |

#### **CURVED ROOF:**

MW-247CRO-24" model MW-367CRO-36" model MW-487CRO-48" model




MW-240RO-24" model MW-360RO-36" model MW-480RO-48" model

#### LOUVERED SIDES:

MW-245SI-24" model MW-365SI-36" model MW-485SI-48" model

#### LITED SIDES:

MW-246LSPLX-24" MW-246LSPLG-24" w/grids MW-366LSPLX-36" MW-366LSPLG-36" w/grids MW-246LSPLX-48" MW-246LSPLG-48" w/grids




#### **OPTIONAL CURB CAP:**

MW-248CURB MW-368CURB MW-488CURB

#### OPTIONAL PREMIUM BASE TRIM:


MW-241PBT-XXXX MW-361PBT-XXXX MW-481PBT-XXXX



#### OPTIONAL PREMIUM ASSEMBLED BASE

Must specify pitch when ordering.(#)

MB-242/#-XXXX MB-362/#-XXXX MB-482/#-XXXX



#### 6-PIECE BASE FLASHING:

Standard 3/12 or 4/12 pitch, please specify. Any other pitch, special order.

MW-241-24" model MW-361-36" model MW-481-48" model

Because of its ongoing commitment to product improvement, Plyco Corporation reserves the right to change, without notice, product specifications, availability, prices and conditions of sale.

